WHAT IS CLAIMED IS:

1. A compound of structural formula I:

or a pharmaceutically acceptable salt thereof; wherein each n is independently 0, 1, or 2;

X, Y and Z are independently selected from the group consisting of:

- (1) CR^1 ,
- 10 (2) NR²,
 - (3) N,
 - (4) O, and
 - (5) S;

with the provisos that at least one of X, Y and Z is not CR1 and two of X, Y, and Z cannot be O and/or S;

Ar is phenyl substituted with one to five R3 substituents;

20 each R¹ is independently selected from the group consisting of

hydrogen,

halogen,

hydroxy,

cyano,

C1-10 alkyl, wherein alkyl is unsubstituted or substituted with one to five substituents independently selected from halogen or hydroxy,

C₁₋₁₀ alkoxy, wherein alkoxy is unsubstituted or substituted with one to five substituents independently selected from halogen or hydroxy,

C₁₋₁₀ alkylthio, wherein alkylthio is unsubstituted or substituted with one to five substituents independently selected from halogen or hydroxy,

C2-10 alkenyl, wherein alkenyl is unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, COOH, and COOC₁₋₆ alkyl,

(CH₂)_nCOOH,

5

10

15

20

30

35

(CH₂)_nCOOC₁₋₆ alkyl,

(CH₂)_nCONR⁴R⁵, wherein R⁴ and R⁵ are independently selected from the group consisting of hydrogen, tetrazolyl, thiazolyl, (CH₂)_n-phenyl, (CH₂)_n-C₃₋₆ cycloalkyl, and C₁₋₆ alkyl, wherein alkyl is unsubstituted or substituted with one to five halogens and wherein phenyl and cycloalkyl are unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens;

or R⁴ and R⁵ together with the nitrogen atom to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, piperazine, and morpholine wherein said heterocyclic ring is unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C₁-6 alkyl, and C₁-6 alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens;

(CH₂)_n-NR⁴R⁵,

(CH₂)_n-OCONR⁴R⁵

(CH₂)_n-SO₂NR⁴R⁵

 $(CH_2)_n$ -SO₂R6,

 $(CH_2)_n$ -NR7SO₂R6.

 $(CH_2)_n$ -NR⁷CONR⁴R⁵.

 $(CH_2)_n$ -NR⁷COR⁷.

(CH₂)_n-NR⁷CO₂R6,

(CH₂)_n-COR⁷,

(CH₂)_n-C₃₋₆ cycloalkyl, wherein cycloalkyl is unsubstituted or substituted with one to three substituents independently selected from halogen, hydroxy, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens,

(CH₂)_n-aryl, wherein aryl is unsubstituted or substituted with one to five substituents independently selected from halogen, cyano, hydroxy, NR⁷SO₂R6, SO₂R6,

CO₂H, COOC₁₋₆ alkyl, C₁₋₆ alkyl, and

C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens.

(CH₂)_n-heteroaryl, wherein heteroaryl is unsubstituted or substituted with one to three substituents independently selected from hydroxy, halogen, C_{1-6} alkyl, and C_{1-6} alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, and

(CH2)n-heterocyclyl, wherein heterocyclyl is unsubstituted or substituted with one to three substituents independently selected from oxo, hydroxy, halogen, C1-6 alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens,

wherein any methylene (CH2) carbon atom in R1 is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C1-4 alkyl unsubstituted or substituted with one to five halogens;

15 each R² is independently selected from the group consisting of

5

10

20

25

30

hydrogen, C1-10 alkyl, wherein alkyl is unsubstituted or substituted with one to five substituents independently selected from halogen or hydroxy,

C2-10 alkenyl, wherein alkenyl is unsubstituted or substituted with one to five substituents independently selected from halogen or hydroxy,

(CH₂)_nCOOH,

(CH₂)_nCOOC₁₋₆ alkyl,

(CH₂)_nCONR⁴R⁵, wherein R⁴ and R⁵ are independently selected from the group consisting of hydrogen, tetrazolyl, thiazolyl, (CH2)n-phenyl, (CH2)n-C3-6 cycloalkyl, and C₁₋₆ alkyl, wherein alkyl is unsubstituted or substituted with one to five halogens and wherein phenyl and cycloalkyl are unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens; or \mathbb{R}^4 and \mathbb{R}^5 together with the nitrogen atom to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, piperazine, and morpholine wherein said heterocyclic ring is unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy,

(CH₂)_nCOOC₁₋₆ alkyl, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens or one phenyl; (CH₂)_n-COR⁷,(CH₂)_n-SO₂NR⁴R⁵5 (CH₂)_n-SO₂R₆,(CH2)n-C3-6 cycloalkyl, wherein cycloalkyl is unsubstituted or substituted with one to three substituents independently selected from halogen, hydroxy, C1-6 alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, 10 (CH₂)_n-aryl, wherein aryl is unsubstituted or substituted with one to five substituents independently selected from halogen, cyano, hydroxy, NR7SO2R6, SO2R6, CO₂H, C₁₋₆ alkyloxycarbonyl, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, .15 (CH2)n-heteroaryl, wherein heteroaryl is unsubstituted or substituted with one to three substituents independently selected from hydroxy, halogen, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, and (CH₂)_n-heterocyclyl, wherein heterocyclyl is unsubstituted or substituted with one to 20 three substituents independently selected from oxo, hydroxy, halogen, C1-6 alkyl, and C1-6 alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, wherein any methylene (CH2) carbon atom in R2 is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C1-4 alkyl unsubstituted or substituted with one to five halogens; 25 each R³ is independently selected from the group consisting of hydrogen, halogen,

C₁₋₆ alkyl, unsubstituted or substituted with one to five halogens, and C₁₋₆ alkoxy, unsubstituted or substituted with one to five halogens;

- 113 -

30

cyano, hydroxy,

 R^6 is independently selected from the group consisting of tetrazolyl, thiazolyl, $(CH_2)_n$ -phenyl, $(CH_2)_n$ -C3-6 cycloalkyl, and C_{1-6} alkyl, wherein alkyl is unsubstituted or substituted with one to five halogens and wherein phenyl and cycloalkyl are unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C_{1-6} alkyl, and C_{1-6} alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, and wherein any methylene (CH_2) carbon atom in R^6 is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, C_{1-4} alkyl, and C_{1-4} alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens;

10 each R7 is hydrogen or R6;

5

20

25

30

 R^8 , R^9 and R^{10} are each independently selected from the group consisting of hydrogen,

cyano,

15 $(CH_2)_nCOOH$,

(CH₂)_nCOOC₁₋₆ alkyl,

C₁₋₆ alkyloxycarbonyl,

C₁₋₁₀ alkyl, unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C₁₋₆ alkoxy, and phenyl-C₁₋₃ alkoxy, wherein alkoxy is unsubstituted or substituted with one to five halogens,

(CH2)_n-aryl, wherein aryl is unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens,

(CH₂)_n-heteroaryl, wherein heteroaryl is unsubstituted or substituted with one to three substituents independently selected from hydroxy, halogen, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens,

(CH₂)_n-heterocyclyl, wherein heterocyclyl is unsubstituted or substituted with one to three substituents independently selected from oxo, hydroxy, halogen, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens,

(CH2)n-C3-6 cycloalkyl, wherein cycloalkyl is unsubstituted or substituted with one to three substituents independently selected from halogen, hydroxy, C1-6 alkyl, and

5

10

15

C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, and

(CH₂)_nCONR⁴R⁵, wherein R⁴ and R⁵ are independently selected from the group consisting of hydrogen, tetrazolyl, thiazolyl, (CH₂)_n-phenyl, (CH₂)_n-C₃-6 cycloalkyl, and C₁-6 alkyl, wherein alkyl is unsubstituted or substituted with one to five halogens and wherein phenyl and cycloalkyl are unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C₁-6 alkyl, and C₁-6 alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens;

or R^4 and R^5 together with the nitrogen atom to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, piperazine, and morpholine wherein said heterocyclic ring is unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, $(CH_2)_nCOOC_{1-6}$ alkyl, C_{1-6} alkyl, and C_{1-6} alkoxy, wherein alkyl and alkoxy

are unsubstituted or substituted with one to five halogens or one phenyl; and wherein any methylene (CH₂) carbon atom in R⁸, R⁹ or R¹⁰ is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C₁₋₄ alkyl unsubstituted or substituted with one to five halogens.

20 2. The compound of Claim 1 of the structural formula Ia wherein the carbon atom marked with an * has the R stereochemical configuration

3. The compound of Claim 1 of the structural formula Ib

4. The compound of Claim 3 of the structural formula Ic wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{NH_2} O R^8 R^1$$

$$R^9 R^{10}$$

$$R^1$$

- 5. The compound of Claim 3 wherein R9 and R10 are hydrogen.
- 6. The compound of Claim 1 of the structural formula Ie

7. The compound of Claim 6 of the structural formula If wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{NH_2} O \xrightarrow{R^8} \xrightarrow{R^1}$$

$$R^9 \xrightarrow{N} N$$

$$R^{10} \xrightarrow{R^2}$$

- 8. The compound of Claim 6 wherein R9 and R10 are hydrogen.
- 9. The compound of Claim 1 of the structural formula Ih

5

10

10. The compound of Claim 9 of the structural formula Ii wherein the carbon atom marked with an * has the R stereochemical configuration

- 11. The compound of Claim 9 wherein R9 and R10 are hydrogen.
- 12. The compound of Claim 1 of the structural formula Ik

$$Ar \xrightarrow{NH_2} O \xrightarrow{R^8} \xrightarrow{R^1}$$

$$(lk) \xrightarrow{R^{10}}$$

13. The compound of Claim 12 of the structural formula II wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{NH_2} O \xrightarrow{R^8} R^1$$

$$R^9 \xrightarrow{R^{10}} N$$

- 14. The compound of Claim 12 wherein R9 and R10 are hydrogen.
- 15. The compound of Claim 1 of the structural formula In

5

5

$$Ar \xrightarrow{NH_2} O \xrightarrow{R^8} N$$

$$R^9 \xrightarrow{N} O$$

$$(In) R^{10} R^1$$

16. The compound of Claim 15 of the structural formula Io wherein the carbon atom marked with an * has the R stereochemical configuration

- 17. The compound of Claim 15 wherein R9 and R10 are hydrogen.
- 18. The compound of Claim 1 of structural formula Iq

$$Ar \xrightarrow{NH_2 O R^8} S$$

$$R^9 \xrightarrow{R^{10}} S$$

$$(Iq) R^{10}$$

19. The compound of Claim 18 of the structural formula Ir wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{\mathsf{NH}_2} O \xrightarrow{\mathsf{R}^8} S \xrightarrow{\mathsf{R}^1} R^9 \xrightarrow{\mathsf{N}} R^{10}$$

20. The compound of Claim 18 wherein R9 and R10 are hydrogen.

21. The compound of Claim 1 of the structural formula It

$$Ar \xrightarrow{NH_2 O R^8} N \xrightarrow{N} R^1$$

$$R^9 \xrightarrow{R^{10}} S$$

22. The compound of Claim 21 of the structural formula Iu wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{\mathsf{NH}_2} O \overset{\mathsf{R}^8}{\mathsf{N}} \overset{\mathsf{N}}{\mathsf{N}} \overset{\mathsf{N}}{\mathsf{$$

- 23. The compound of Claim 21 wherein R9 and R10 are hydrogen.
- 24. The compound of Claim 1 of the structural formula Iw

$$Ar \xrightarrow{NH_2} O \xrightarrow{R^8} N \xrightarrow{N} R^1$$

$$(Iw) R^{10}$$

10 25. The compound of Claim 24 of the structural formula Ix wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{NH_2} O R^8$$

$$R^9 \longrightarrow N$$

$$(Ix) R^{10}$$

26. The compound of Claim 24 wherein R9 and R10 are hydrogen.

27. The compound of Claim 1 of the structural formula Iz

$$Ar \xrightarrow{NH_2 O R^8} O R^1$$

$$R^9 \xrightarrow{R^{10}} N$$

28. The compound of Claim 27 of the structural formula Iaa wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{NH_2} O R^8$$

$$R^9 \xrightarrow{N} N R^1$$

$$(Iaa) R^{10}$$

- 29. The compound of Claim 27 wherein R⁹ and R¹⁰ are hydrogen.
- 30. The compound of Claim 1 of the structural formula Iac

10

31. The compound of Claim 30 of the structural formula Iad wherein the carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{\text{NH}_2} O \underset{\text{N}}{\overset{\text{R}^8}{\text{N}}} \underset{\text{N}}{\overset{\text{R}^2}{\text{N}}} R^2$$

$$(\text{lad}) \overset{\text{R}^{10}}{\text{R}^{10}}$$

10

- The compound of Claim 30 wherein R9 and R10 are hydrogen. 32.
- 33. The compound of Claim 1 of the structural formula Iaf

Ar
$$NH_2$$
 O R^8 N N R^1 R^9 R^{10} R^2

5 The compound of Claim 33 of the structural formula Ig wherein the 34. carbon atom marked with an * has the R stereochemical configuration

$$Ar \xrightarrow{NH_2 O R^8} N \xrightarrow{N} R^1$$

$$R^9 \xrightarrow{N} R^{10} R^2$$

$$(lag) R^{10} R^2$$

- The compound of Claim 33 wherein R9 and R10 are hydrogen. 35.
- The compound of Claim 1 of the structural formula Iai 36.

Ar
$$NH_2$$
 O R^8 R^2 N N N N N N N N

The compound of Claim 36 of the structural formula Iaj wherein the 37. carbon atom marked with an * has the R stereochemical configuration

- 38. The compound of Claim 36 wherein R9 and R10 are hydrogen.
- 39. The compound of Claim 1 of the structural formula Ial

5 40. The compound of Claim 39 of the structural formula Iam wherein the carbon atom marked with an * has the R stereochemical configuration

- 41. The compound of Claim 39 wherein R9 and R10 are hydrogen.
- 10 42. The compound of Claim 1 wherein R³ is selected from the group consisting of hydrogen, fluoro, chloro, bromo, trifluoromethyl, and methyl.
 - 43. The compound of Claim 1 wherein R¹ is selected from the group consisting of:
- 15 hydrogen,

20

halogen,

hydroxy,

- C1-10 alkyl, wherein alkyl is unsubstituted or substituted with one to five substituents independently selected from halogen or hydroxy,
- C2-10 alkenyl, wherein alkenyl is unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, COOH, and COOC₁₋₆ alkyl,
 - (CH₂)_n-C₃₋₆ cycloalkyl, wherein cycloalkyl is unsubstituted or substituted with one to three substituents independently selected from halogen, hydroxy, C₁₋₆ alkyl, and

C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, and (CH₂)_n-aryl, wherein aryl is unsubstituted or substituted with one to five substituents independently selected from halogen, cyano, hydroxy, NR7SO2R6, SO2R6, CO₂H, COOC₁₋₆ alkyl, C₁₋₆ alkyl, and 5 C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens; and wherein any methylene (CH2) carbon atom in R1 is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C1-4 alkyl 10 unsubstituted or substituted with one to five halogens; 44. The compound of Claim 43 wherein R1 is selected from the group consisting of hydrogen, 15 methyl, ethyl, trifluoromethyl, CH₂CF₃, CF2CF3, 20 phenyl, 4-(methoxycarbonyl)phenyl, 4-fluorophenyl, 4-(trifluoromethyl)phenyl, 4-(methylsulfonyl)phenyl, 25 cyclopropyl, fluoro, chloro, bromo, and 2-(methoxycarbonyl)vinyl. 30 The compound of Claim 1 wherein R² is selected from the group 45. consisting of hydrogen, C1-6 alkyl, wherein alkyl is unsubstituted or substituted with one to five substituents 35 independently selected from halogen or hydroxy,

(CH2)n-aryl, wherein aryl is unsubstituted or substituted with one to five substituents independently selected from halogen, CN, hydroxy, NR7SO2R6, SO2R6, CO2H, COOC₁₋₆ alkyl, C₁₋₆ alkyl, and

C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens; and

wherein any methylene (CH2) carbon atom in R2 is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C_{1-4} alkyl unsubstituted or substituted with one to five halogens.

10 46. The compound of Claim 45 wherein R² is selected from the group consisting of:

5

25

30

hydrogen,

methyl,

 CH_2CF_3 ,

15 isobutyl,

4-(trifluoromethyl)benzyl, and

4-fluorobenzyl.

The compound of Claim 1 wherein R8, R9, and R10 are independently 47. 20 selected from the group consisting of:

hydrogen,

- C1-10 alkyl, unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C1-6 alkoxy, and phenyl-C₁₋₃ alkoxy, wherein alkoxy is unsubstituted or substituted with one to five halogens,
- (CH2)n-aryl, wherein aryl is unsubstituted or substituted with one to five substituents independently selected from halogen, hydroxy, C1-6 alkyl, and C1-6 alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens,
- (CH2)n-C3-6 cycloalkyl, wherein cycloalkyl is unsubstituted or substituted with one to three substituents independently selected from halogen, hydroxy, C₁₋₆ alkyl, and C₁₋₆ alkoxy, wherein alkyl and alkoxy are unsubstituted or substituted with one to five halogens, and

wherein any methylene (CH₂) carbon atom in R^8 , R^9 or R^{10} is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C₁₋₄ alkyl unsubstituted or substituted with one to five halogens.

5 48. The compound of Claim 47 wherein R8, R9, and R10 are each independently selected from the group consisting of

hydrogen,

trifluoromethyl,

methyl,

10 ethyl,

cyclopropyl,

CH2-Ph, and

CH₂(4-F-Ph).

15 49. The compound of Claim 48 wherein R9 and R10 are hydrogen.

50. The compound of Claim 49 which is selected from the group consisting

of:

5 or a pharmaceutically acceptable salt thereof.

51. A pharmaceutical composition which comprises a compound of Claim 1 and a pharmaceutically acceptable carrier.

5 52. Use of a compound in accordance with Claim 1 in the manufacture of a medicament for use in treating a condition selected from the group consisting of hyperglycemia, Type 2 diabetes, obesity, and a lipid disorder in a mammal.

10